

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/642,772	10/642,772 08/18/2003		Meir Rosenberg	022719-0046	3663	
21125	7590	08/17/2006		EXAMINER		
		NEN & FISH LLI	HOEKSTRA, JEF	HOEKSTRA, JEFFREY GERBEN		
155 SEAPC		NTER WEST EVARD	ART UNIT	PAPER NUMBER		
BOSTON,	BOSTON, MA 02210-2604			3736		
				DATE MAILED: 08/17/200	DATE MAILED: 08/17/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.



	Application No.	Applicant(s)	
Office Autient Commence	10/642,772	ROSENBERG, MEIR	
Office Action Summary	Examiner	Art Unit	
	Jeffrey G. Hoekstra	3736	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be tinus will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE.	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on <u>09 At</u> 2a) This action is FINAL . 2b) This 3) Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final. nce except for formal matters, pr		
Disposition of Claims			
4) ☐ Claim(s) 1-27 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-27 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	vn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)	4) 🔲 Interview Summary		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) B) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	Patent Application (PTO-152)	

Application/Control Number: 10/642,772 Page 2

Art Unit: 3736

DETAILED ACTION

Notice of Amendment

1. In response to the amendment filed on 03/20/2006, amended claims 1 and 18 are acknowledged. The current rejections of the claims 1-27 are withdrawn. The following new and reiterated grounds of rejection are set forth:

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 4. Claims 1-11, 13, and 15-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fonger et al (US 5,291,896) in view of Purdy et al (US 2003/0097082 A1).

Application/Control Number: 10/642,772 Page 3

Art Unit: 3736

- 5. For claims 1 and 18, Fonger et al discloses a catheter drainage system as broadly as *structurally* claimed, comprising: an elongated tube, or catheter, 12 including a distally disposed solid state pressure transducing sensor 14 (column 6 lines 1-41) as best seen in Figures 1 and 2 and (b) said sensor *functions* to measure pressure adjacent the external surface of the distal-most end of the catheter (column 5 lines 4-20 and column 6 lines 1-41), further including at least one wire 24 distally coupled to the sensor and proximally mated to an apparatus for electrical powering or communicating that extends along the length of the catheter in fluid isolation from the inner lumen 40 and wherein the at least one wire being proximally separable from the elongated tube through a slit 46 such that the tube length is selectively adjustable (column 2 lines 30-35 and column 4 lines 32-44)). Furthermore, the slit 46 extends through the outer wall 15 of the tube 12 into the second lumen 42 such that the at least one wire can be partially removed to adjust the tube length.
- 6. For claims 2 and 11, Fonger et al discloses the at least one wire 24 disposed within a second lumen 42 isolated from the first and wherein the slit 46 extends into the second lumen).
- 7. For claim 3, 6-10, and 21-24, Fonger et al discloses a slit 46 extending through the outer wall 15 of the tube 12 into the second lumen 42 such that the tube length is selectively adjustable (column 4 lines 32-44). The slit 46 is configured such that the at least one wire can be partially removed to adjust the tube length and when said wire(s) is/are inserted they are in substantial fluid isolation via the sealing action of the polymer. The slit 46 is configured (column 4 lines 6-10) to extend along a distance less than the

length of the catheter and less than about one half the length of the catheter as best seen in Figure 1.

- 8. For claims 4 and 19, Fonger et al discloses a first lumen diameter greater than the second lumen diameter (column 3 lines 60-66).
- 9. For claims 5 and 20, Fonger et al discloses multiple secondary lumens 84,86,88,90 formed within an invagination of the outer tube wall 12 as best seen in Figure 7.
- 10. For claims 13 and 25, Fonger et al discloses the use of a flexible, biocompatible polymer (column 3 lines 41-42).
- 11. For claims 15-17 and 26-27, Fonger et al discloses a distally disposed pressure sensor (column 6 lines 13-18) adapted to sense physiological conditions adjacent to the elongated tube and disposed within the secondary lumen with an inner diameter of 10 French (column 3 lines 63-66) which is equal to approximately 3.3 mm or 0.131 inches.
- 12. Fonger et al discloses the claimed invention except for explicitly disclosing (a) the distally disposed pressure sensor embedded in a distal portion of the catheter and (b) the at least one wire having a proximal end mated to an external antenna. Purdy et al teaches (a) a distally disposed pressure sensor (94) embedded in a distal portion of the catheter as best seen in Figure 14, 15, and 17 (paragraph 132) and (b) at least one wire having a proximal end mated to an external antenna (wire element 96, paragraph 133). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the pressure-measuring trimmable sensing catheter as taught by Fonger et al, with embedded pressure sensor and antenna as taught by Purdy

Application/Control Number: 10/642,772

Art Unit: 3736

et al for the purpose increasing the efficacy of a pressure measurement device and increasing patient safety during advanced medical procedures requiring pressure management whilst draining fluid.

Page 5

13. Claims 12 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fonger et al in view of Purdy et al and in further view of Quackenbush (US 5,104,398). Fonger et al in view of Purdy et al discloses the claimed sensor catheter drainage system except for (a) the polymer selected from a group consisting of silicones, silicone-like materials, and polyurethanes and (b) the at least one wire is disposed within a secondary catheter coupled to the first that can be peeled apart to allow the catheter length to be adjusted independent the length of the secondary catheter. Quackenbush discloses a membrane splitting tube 10 comprised of polyurethane (column 3 line 23) with a catheter or wire inserted in an outer peel-away membrane (column 1 lines 33-41). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the trimmable sensing catheter as taught by Fonger et al in view of Purdy et al, with the polyurethane splitting tube of Quackenbush for the purpose of configuring an implantable fluid management device, including a catheter having at least one wire running there through, which is coupled to a sensor disposed at a distal portion of the catheter, for use in advanced medical procedures requiring pressure management whilst draining fluid.

Art Unit: 3736

Response to Arguments

14. Applicant's arguments with respect to claims 1-27 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey G. Hoekstra whose telephone number is (571)272-7232. The examiner can normally be reached on Monday through Friday, 8:00 a.m. to 5:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max F. Hindenburg can be reached on (571)272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JH JH

COM F. HINDENBURG

SONY PATENT EXAMINER

ON COMPUTER 3700